



9th Mid-European Clay Conference

Conference Book

Edited by Darko TIBLJAŠ, Marija HORVAT, Nenad TOMAŠIĆ, Marta MILEUSNIĆ & Anita GRIZELJ

9th Mid-European Clay Conference MECC 2018

Zagreb, September 17-21, 2018

ORGANIZED BY:

Croatian Geological Society, Croatian Geological Survey, Faculty of Mining, Geology and Petroleum Engineering & Faculty of Science - University of Zagreb on behalf of the Mid-European Clay Groups

ORGANIZING COMMITTEE:

Davor Pavelić (president of the Croatian Geological Society)

Croatian Geological Survey: Anita Grizelj (Chair), Radovan Avanić, Marija Horvat, Nikolina Ilijanić, Jasmina Martinčević Lazar, Zoran Peh Faculty of Mining, Geology and Petroleum Engineering - University of Zagreb: Marko Cvetković, Goran Durn, Biljana Kovačević Zelić, Marta Mileusnić

Faculty of Science - University of Zagreb: Zvonka Gverić, Marijan Kovačić, Darko Tibljaš, Nenad Tomašić and on behalf of the organizing societies: Czesław August (Poland), Erzsébet Harman-Tóth (Hungary), Reinhard Kleeberg (Germany, Austria and Switzerland), Martin Šťastný (Czech Republic), Peter Uhlík (Slovakia)

INTERNATIONAL SCIENTIFIC COMMITTEE:

Darko Tibljaš (Chairman, Croatia), Saverio Fiore (Italy), Michael Plötze (Switzerland), Pilar Aranda (Spain), Timothy Fischer (USA), Miroslav Pospíšil (Czech Republic),

Czesław August (Poland), Asuman Günal Türkmenoğlu (Turkey), Béla Raucsik (Hungary),
George Christidis (Greece), Erzsébet Harman-Tóth (Hungary), Fernando Rocha (Portugal),
Arkadiusz Derkowski (Poland), Stephen Hillier (UK), Martin Št'astný (Czech Republic),

Reiner Dohrmann (Germany), Reinhard Kleeberg (Germany), Peter Uhlík (Slovakia),
Goran Durn (Croatia), Bruno Lanson (France), Bella Zviagina (Russia)

Liva Dzene (France, Latvia), Jana Madejová (Slovakia),

FIELD TRIP ORGANIZERS:

Croatian Geological Survey: Radovan Avanić, Anita Grizelj

Faculty of Mining, Geology and Petroleum Engineering - University of Zagreb: Martin Krkač, Marta Mileusnić

Faculty of Science - University of Zagreb: Marijan Kovačić, Darko Tibljaš

Kraneamus Krapina Neanderthal Museum: Jurica Sabol

NANOMIN WORKSHOP ORGANIZERS:

Faculty of Mining, Geology and Petroleum Engineering - University of Zagreb: Ivan Sondi and Goran Durn

Financed by: Croatian Science Foundation, project 2504-NanoMin "Nanominerals in sediments and soils: formation, properties and their role in biogeochemical processes"

TECHNICAL ORGANIZER:

Spektar putovanja d.o.o., Congress department, Andrije Hebranga 34, 10000 Zagreb

EDITED BY:

Darko Tibljaš, Marija Horvat, Nenad Tomašić, Marta Mileusnić & Anita Grizelj

PUBLISHED BY:

Croatian Geological Society, Croatian Geological Survey, Faculty of Mining, Geology and Petroleum Engineering & Faculty of Science - University of Zagreb

ISBN:

978-953-6907-71-7 (Croatian Geological Survey)

978-953-6923-39-7 (Faculty of Mining, Geology and Petroleum Engineering - University of Zagreb)

978-953-6076-46-8 (Faculty of Science - University of Zagreb)

A CIP catalogue record for this book is available from the National and University Library in Zagreb under 001005359.

DESIGN OF COVER: Leitmotif kreativni biro j.d.o.o., IV. Maksimirsko naselje 21, 10000 Zagreb

LAYOUT AND PRINT: Laser Plus d.o.o., Brijunska 1a, 10000 Zagreb

ISSUED: 2018, 200 copies

SUPPORTED BY:

The Foundation of Croatian Academy of Sciences and Arts,

Kraneamus Krapina Neanderthal Museum,

Ministry of Science and Education of the Republic of Croatia,

Zagreb Tourist Board,

Croatian Geological Survey,

Faculty of Mining, Geology and Petroleum Engineering - University of Zagreb,

Faculty of Science - University of Zagreb

SPONSORED BY:

Renacon d.o.o.

Mineralogical characterisation of Batizovské pleso sediments (High Tatras, Slovakia)

Peter Uhlík¹, Adrian Biroň², Radovan Pipík², Juraj Šurka², Dušan Starek³ and Rastislav Milovský²

¹Department of Economic Geology, Faculty of Natural Sciences, Comenius University in Bratislava, Slovakia, (peter.uhlik@uniba.sk) ²Earth Science Institute of the Slovak Academy of Sciences, Banská Bystrica, Slovakia ³Earth Science Institute of the Slovak Academy of Sciences, Bratislava, Slovakia

The High Tatras (HT) moraine relief shows a glacier stabilization in two phases, at 26-21 ka and at 18 ka (MAKOS et al. 2014), followed by a gradual retreat and formation of the morainic, trough and cirque lakes dated from 10 000 to 16000 cal BP on the northern slopes of the Tatra Mountains and before 10000 cal BP on its southern slopes (KLAPYTA et al., 2016). Sedimentary record of HT mountain lakes contains two distinct lithostratigraphic sections. The uppermost part is formed of the Holocene brown detrital gyttja with high organic matter content which overlays the Late Glacial mineral light-grey silt and fine-sand which suggest deposition under dry and cold periglacial conditions (KLAPYTA et al., 2016).

The contribution intends to present the first results of the mineralogical analysis of the tarn sediments on the Slovak side of the High Tatras and belonging to complex paleolimnological study of High Tatras tarns with aim to determine a timing of the glacier disappearance and amplitude of climatic and ecological changes on the glacial/interglacial boundary (http://www.geo.sav.sk/en/depovyt-apvv-15-0292/).

Batizovské pleso (1884 m a.s.l) is a mountain lake (tarn) formed by a glacier. Its sedimentary record have been obtained by using a swimming platform. Drilling site was selected after a lake sonar survey, which provided high resolution 2D acoustic image on sedimentary infill. This allowed a selection of the site with the highest thickness of the sediment. Drilling was realized by steel hydraulic corer allowing to get 2 m long core. Total thickness of lake sediments was more than 3 m. Non-destructive micro-CT analysis was used to determine the internal structure of the sediment in the cores before cutting. The cores were devided to 1 cm thick samples. Part of these samples were analysed by particle size and XRD analysis (bulk and clay fraction).

Upper part of Batizovské pleso sediments is composed by gyttja (postglacial sediment with organic matter). Dominant particle size of this sediment is fraction less than 0.063 mm. 40-80 wt% of amorphous phase was determined in gyttja by XRD. The rest is composed by same minerals as were identified in-light grey laminated glacial silt. Analysed silt samples are composed of quartz, albite, K-feldspar, muscovite and clay minerals: illite, smectite, chlorite and kaolinite. Most of this mineral assemblage corresponds to the surrounding rocks (mainly biotite tonalites and granodiorites; NEMČOK et al., 1993). Amount of clay minerals varies from 5 to 25 wt% and is independent on depth. Quantitative changes of mineral composition are explained by different dynamics of sedimentation. XRD analysis of clay fraction confirmed presence of illite, chlorite, kaolinite and smectite. While representation of the first three clay minerals in the studied clay fraction of light grey laminated silt is practically unchanged, amount of smectite is variable, from traces to major phase. Mineral composition of tarn sediments will be compared with mineral composition of surrounding soils.

Acknowledgments:

This work was supported by the grant APVV-15-0292.

References:

KLAPYTA P., ZASADNI J., POCIASK-KARTECZKA J., GAJDA A., FRANCZAK P. (2016): Late Glacial and Holocene Paleoenvironmental records in the Tatra Mountains, East-Central Europe, based on lake, peat bog and colluvial sedimentary data: A summary review. —Quaternary International 415, 126–144.

MAKOS M., DZIERZEK J., NITYCHORUK J., ZREDA M. (2014): Timing of glacier advances and climate in the Tatra Mountains (Western Carpathians) during the Last Glacial Maximum. –Quaternary Research 82, 1–13.

NEMČOK J., BEZÁK V., JANÁK M., KAHAN, Š., RYJA W., KOHÚT M., LEHOTSKÝ I., WIECZOREK J., ZELMAN J., MELLO J., HALOUZKA R., RACZKOWSKI W., REICHWALDER P. (1993): Explanatory Notes to geological map of Tatras 1:50 000. Geological Institute of Dionýz Štúr, 135 (in Slovak).